



PAIN | Annual
Scientific
Review

Revisión de los avances del último año en el área de dolor

PRE-READ

1. Investigación básica / Dianas Farmacológicas.

Coordinador: *Prof. Carlos Goicoechea*

- ♦ Prof^a. M^a Isabel Martín Fontelles ▶ [ver artículos](#)
- ♦ Prof. Josué Fernández Carnero ▶ [ver artículos](#)
- ♦ Prof^a. Carolina Sitges Quirós ▶ [ver artículos](#)

2. Revisión de Dolor Agudo / Postoperatorio.

Coordinador: *Dr. Luis Miguel Torres*

- ♦ Dra. Neus Esteve Pérez ▶ [ver artículos](#)
- ♦ Dr. Carlos Tornero Tornero ▶ [ver artículos](#)
- ♦ Dr. Antonio Carrascosa Fernández ▶ [ver artículos](#)

3. Revisión de Dolor Crónico.

Coordinador: *Dr. Manuel J. Rodríguez*

- ♦ Dr. Mariano Fernández Baena ▶ [ver artículos](#)
- ♦ Dr. Jesús Tornero Molina ▶ [ver artículos](#)
- ♦ Dr. Jorge Contreras Martínez ▶ [ver artículos](#)

4. Revisión de Dolor Neuropático.

Coordinadora: *Dr. Daniel Samper*

- ♦ Dr. Daniel Niño Sintés ▶ [ver artículos](#)
- ♦ Dra M^a Victoria Ribera Canudas ▶ [ver artículos](#)
- ♦ Dr. Javier Medel Rebollo ▶ [ver artículos](#)

5. Revisión en Técnicas Invasivas.

Coordinador: *Dr. Víctor Mayoral*

- ♦ Dr. Javier de Andrés Ares ▶ [ver artículos](#)
- ♦ Dr. Alejandro Ortega Romero ▶ [ver artículos](#)
- ♦ Dr. Enrique Ortega Ladrón ▶ [ver artículos](#)

Haga clic en "ver artículos"

INVESTIGACIÓN BÁSICA | MESA 1

Prof^a. M^a Isabel Martín Fontelles

1. *CLiu XS, Fan B, Szalad A, Jia L, Wang L, Wang X, et al.*
MicroRNA-146a mimics reduce the peripheral neuropathy in type 2 diabetic mice.
Diabetes. 2017;66:3111-3121.
2. *Calcutt NA, Smith DR, Frizzi K, Sabbir MG, Chowdhury SK, Mixcoatl-Zecuatl T, et al.*
Selective antagonism of muscarinic receptors is neuroprotective in peripheral neuropathy.
J Clin Invest. 2017;127(2):608-622.
3. *Paniagua N, Girón R, Goicoechea C, López-Miranda V, Vela JM, Merlos M.*
Blockade of sigma 1 receptors alleviates sensory signs of diabetic neuropathy in rats.
Eur J Pain. 2017; 21(1): 61-72.
4. *Gao Z, Feng Y, Ju H.*
The different dynamic changes of nerve growth factor in the dorsal horn and dorsal root ganglion leads to hyperalgesia and allodynia in diabetic neuropathic pain.
Pain Physician. 2017;20(4):E551-E561.
5. *McDonnell C, Leáñez S, Pol O.*
The induction of the transcription factor Nrf2 enhances the antinociceptive effects of delta-opioid receptors in diabetic mice.
PLoS One. 2017;12(7):e0180998.
6. *Peng X, Studholme K, Kanjiya MP, Luk J, Bogdan D, Elmes MW, et al.*
Fatty-acid-binding protein inhibition produces analgesic effects through peripheral and central mechanisms.
Mol Pain. 2017;13:1744806917697007.
7. *Mollica A, Pelliccia S, Famigliani V, Stefanucci A, Macedonio G, Chiavaroli A, et al.*
Exploring the first Rimonabant analog-opioid peptide hybrid compound, as bivalent ligand for CB1 and opioid receptors.
J Enzyme Inhib Med Chem. 2017;32(1):444-451.
8. *Baddack-Werncke U, Busch-Dienstfertig M, González-Rodríguez S, Maddila SC, Grobe J, Lipp M, et al.*
Cytotoxic T cells modulate inflammation and endogenous opioid analgesia in chronic arthritis.
J Neuroinflammation. 2017;14(1):30.
9. *Iffland K, Grotenhermen F.*
An Update on Safety and Side Effects of Cannabidiol: A Review of Clinical Data and Relevant Animal Studies. K. Iffland and F. Grotenhermen.
Cannabis Cannabinoid Res. 2017;2(1):139-154.
10. *Perez-Matos MC, Morales-Alvarez MC, Mendivil CO.*
Lipids: A Suitable Therapeutic Target in Diabetic Neuropathy?
J Diabetes Res. 2017;2017:6943851.

INVESTIGACIÓN BÁSICA | MESA 1

Prof. Josué Fernández Carnero

1. *Fernández-de-Las-Peñas C, Cleland J, Palacios-Ceña M, Fuensalida-Novo S, Alonso-Blanco C, et al.*
Effectiveness of manual therapy versus surgery in pain processing due to carpal tunnel syndrome: A randomized clinical trial.
Eur J Pain. 2017;21(7):1266-1276.
2. *Lluch E, Nijs J, Courtney CA, Rebbeck T, Wylde V, Baert I, et al.*
Clinical descriptors for the recognition of central sensitization pain in patients with knee osteoarthritis.
Disabil Rehabil. 2017 Aug 2:1-10.
3. *Nicholas MK, Asghari A, Blyth FM, Wood BM, Murray R, McCabe R, et al.*
Long-term outcomes from training in self-management of chronic pain in an elderly population: a randomized controlled trial.
Pain. 2017;158(1):86-95.
4. *Engquist M, Löfgren H, Öberg B, Holtz A, Peolsson A, Söderlund A, et al.*
A 5- to 8-year randomized study on the treatment of cervical radiculopathy: anterior cervical decompression and fusion plus physiotherapy versus physiotherapy alone.
J Neurosurg Spine. 2017;26(1):19-27.
5. *Pérez-Palomares S, Oliván-Blázquez B, Pérez-Palomares A, Gaspar-Calvo E, Pérez-Benito M, López-Lapeña E, et al.*
Contribution of Dry Needling to Individualized Physical Therapy Treatment of Shoulder Pain: A Randomized Clinical Trial.
J Orthop Sports Phys Ther. 2017;47(1):11-20.
6. *Uthairkhum S, Assapun J, Watcharasakul K, Jull GE.*
Effectiveness of physiotherapy for seniors with recurrent headaches associated with neck pain and dysfunction: a randomized controlled trial.
Spine J. 2017;17(1):46-55.
7. *Arias-Burúa JL, Fernández-de-Las-Peñas C, Palacios-Ceña M, Koppenhaver SL, Salom-Moreno J.*
Exercises and Dry Needling for Subacromial Pain Syndrome: A Randomized Parallel-Group Trial.
J Pain. 2017;18(1):11-18.
8. *Huang S, Peng W, Tian X, Liang H, Jia Z, Lo T, et al.*
Effects of transcutaneous electrical acupoint stimulation at different frequencies on perioperative anesthetic dosage, recovery, complications, and prognosis in video-assisted thoracic surgical lobectomy: a randomized, double-blinded, placebo-controlled trial.
J Anesth. 2017;31(1):58-65.
9. *Yilmaz Yelvar GD, Çırak Y, Dalkılıç M, Parlak Demir Y, Guner Z, Boydak A.*
Is physiotherapy integrated virtual walking effective on pain, function, and kinesiophobia in patients with non-specific low-back pain? Randomised controlled trial.
Eur Spine J. 2017;26(2):538-545.
10. *Sun K, Xing T, Zhang F, Liu Y, Li W, Zhou Z, et al.*
Perioperative Transcutaneous Electrical Acupoint Stimulation for Postoperative Pain Relief Following Laparoscopic Surgery A Randomized Controlled Trial.
Clin J Pain. 2017;33(4):340-347.

INVESTIGACIÓN BÁSICA | MESA 1

Prof^a. Carolina Sitges Quirós

1. Gupta A, Mayer EA, Fling C, Labus JS, Naliboff BD, Hong JY, et al.
Sex-based differences in brain alterations across chronic pain conditions.
J Neurosci Res. 2017;95(1-2):604-616.
2. Koban L, Kross E, Woo CW, Ruzic L, Wager TD.
Frontal-Brainstem Pathways Mediating Placebo Effects on Social Rejection.
J Neurosci. 2017;37(13):3621-3631.
3. Maeda Y, Kim H, Kettner N, Kim J, Cina S, Malatesta C, et al.
Rewiring the primary somatosensory cortex in carpal tunnel syndrome with acupuncture.
Brain. 2017;140(4):914-927.
4. Manninen S, Tuominen L, Dunbar RI, Karjalainen T, Hirvonen J, Arponen E, et al.
Social Laughter Triggers Endogenous Opioid Release in Humans.
J Neurosci. 2017;37(25):6125-6131.
5. Misra G, Wang WE, Archer DB, Roy A, Coombes SA.
Automated classification of pain perception using high-density electroencephalography data.
J Neurophysiol. 2017;117(2):786-795.
6. Nees F, Becker S, Millenet S, Banaschewski T, Poustka L, Bokde A, et al.
Brain substrates of reward processing and the μ -opioid receptor: a pathway into pain?
Pain. 2017;158(2):212-219.
7. Letzen JE, Robinson ME.
Negative mood influences default mode network functional connectivity in patients with chronic low back pain: implications for functional neuroimaging biomarkers.
Pain. 2017;158(2):212-219.
8. Derbyshire SW, Whalley MG, Seah ST, Oakley DA.
Suggestions to Reduce Clinical Fibromyalgia Pain and Experimentally Induced Pain Produce Parallel Effects on Perceived Pain but Divergent Functional MRI-Based Brain Activity.
Psychosom Med. 2017;79(2):189-200.
9. López-Solà M, Woo CW, Pujol J, Deus J, Harrison BJ, Monfort J, et al.
Towards a neurophysiological signature for fibromyalgia.
Pain. 2017;158(1):34-47.
10. Tseng MT, Kong Y, Eippert F, Tracey I.
Determining the Neural Substrate for Encoding a Memory of Human Pain and the Influence of Anxiety.
J Neurosci. 2017 Dec 6;37(49):11806-11817.

DOLOR AGUDO | MESA 2

Dra. Neus Esteve Pérez

1. *Geisler A, Dahl JB, Karlsen AP, Persson E, Mathiesen O.*
Low degree of satisfactory individual pain relief in post-operative pain trials.
Acta Anaesthesiol Scand. 2017;61(1):83-90.
2. *Brummett CM, Waljee JF, Goesling J, Moser S, Lin P, Englesbe MJ, et al.*
New Persistent Opioid Use After Minor and Major Surgical Procedures in US Adults.
JAMA Surg. 2017;152(6):e170504.
3. *Roeb MM, Wolf A, Gräber SS, Meißner W, Volk T.*
Epidural Against Systemic Analgesia: An International Registry Analysis on Postoperative Pain and Related Perceptions After Abdominal Surgery.
Clin J Pain. 2017; 33(3):189-197.
4. *Brandal D, Keller MS, Lee C, Grogan T, Fujimoto Y, Gricourt Y, et al.*
Impact of Enhanced Recovery After Surgery and Opioid-Free Anesthesia on Opioid Prescriptions at Discharge From the Hospital: A Historical-Prosppective Study.
Anesth Analg. 2017; 125(5):1784-1792.
5. *Fabritius ML, Strøm C, Koyuncu S, Jæger P, Petersen PL, Geisler A, et al.*
Benefit and harm of pregabalin in acute pain treatment: a systematic review with meta-analyses and trial sequential analyses.
Br J Anaesth. 2017;119(4):775-791.
6. *Hill MV, Stucke RS, McMahon ML, Beeman JL, Barth RJ Jr.*
An Educational Intervention Decreases Opioid Prescribing After General Surgical Operations.
Ann Surg. 2017;267(3):468-472.
7. *Kaplan JA, Finlayson E, Auerbach AD.*
Impact of Multimodality Pain Regimens on Elective Colorectal Surgery Outcomes.
Am Surg. 2017;83(4):414-420.
8. *Knezevic NN, Yekkirala A, Yaksh TL.*
Basic/Translational Development of Forthcoming Opioid- and Nonopioid-Targeted Pain Therapeutics.
Anesth Analg. 2017;125(5):1714-1732.
9. *Nimmo SM, Foo ITH, Paterson HM.*
Enhanced recovery after surgery: Pain management.
J Surg Oncol. 2017;116(5):583-591.
10. *Bugada D, Ghisi D, Mariano ER.*
Continuous regional anesthesia: a review of perioperative outcome benefits.
Minerva Anesthesiol. 2017;83(10):1089-1100

DOLOR AGUDO | MESA 2

Dr. Carlos Tornero Tornero

1. *Chong MA, Berbenetz NM, Lin C, Singh S.*
Perineural Versus Intravenous Dexamethasone as an Adjuvant for Peripheral Nerve Blocks: A Systematic Review and Meta-Analysis.
Reg Anesth Pain Med. 2017;42(3):319-326.
2. *Kopp SL, Børglum J, Buvanendran A, Horlocker TT, Ilfeld BM, Memtsoudis SG, et al.*
Anesthesia and Analgesia Practice Pathway Options for Total Knee Arthroplasty: An Evidence-Based Review by the American and European Societies of Regional Anesthesia and Pain Medicine.
Reg Anesth Pain Med. 2017;42(6):683-697.
3. *von Dincklage F, Jakuscheit A, Weth J, Lichtner G, Jurth C, Rehberg-Klug B.*
Higher doses of intraoperative analgesia are associated with lower levels of persistent pain and less analgesic consumption six months after total hip arthroplasty.
Eur J Pain. 2017 Nov 14.
4. *Guay J, Johnson RL, Kopp S.*
Nerve blocks or no nerve blocks for pain control after elective hip replacement (arthroplasty) surgery in adults.
Cochrane Database Syst Rev. 2017;10:CD011608.
5. *Luna IE, Kehlet H, Petersen MA, Aasvang EK.*
Clinical, nociceptive and psychological profiling to predict acute pain after total knee arthroplasty.
Acta Anaesthesiol Scand. 2017;61(6):676-687.
6. *Rockett M, Vanstone R, Chand J, Waeland D.*
A survey of acute pain services in the UK.
Anaesthesia. 2017;72(10):1237-1242.
7. *Hamilton TW, Athanassoglou V, Mellon S, Strickland LH, Trivella M, Murray D, et al.*
Liposomal bupivacaine infiltration at the surgical site for the management of postoperative pain.
Cochrane Database Syst Rev. 2017;2:CD011419.
8. *Kohring JM*
Orgain NG. Multimodal Analgesia in Foot and Ankle Surgery.
Orthop Clin North Am. 2017;48(4):495-505.
9. *Carvalho B, Butwick AJ.*
Postcesarean delivery analgesia.
Best Pract Res Clin Anaesthesiol. 2017;31(1):69-79.
10. *Parra MC, Washburn K, Brown JR, Beach ML, Yeager MP, Barr P, et al.*
Fluoroscopic Guidance Increases the Incidence of Thoracic Epidural Catheter Placement Within the Epidural Space: A Randomized Trial.
Reg Anesth Pain Med. 2017;42(1):17-24.

DOLOR AGUDO | MESA 2

Dr. Antonio Carrascosa Fernández

1. *Kumar K, Kirksey MA, Duong S, Wu CL.*
A Review of Opioid-Sparing Modalities in Perioperative Pain Management: Methods to Decrease Opioid Use Postoperatively.
Anesth Analg. 2017;125(5):1749-1760.
2. *Chapman CR, Vierck CJ.*
The Transition of Acute Postoperative Pain to Chronic Pain: An Integrative Overview of Research on Mechanisms.
J Pain. 2017;18(4):359.e1-359.e38.
3. *Koyuncu O, Leung S, You J, Oksar M4, Turhanoglu S, Akkurt C, et al.*
The effect of ondansetron on analgesic efficacy of acetaminophen after hysterectomy: A randomized double blinded placebo controlled trial.
J Clin Anesth. 2017;40:78-83.
4. *Genord C, Frost T, Eid D.*
Opioid exit plan: A pharmacist's role in managing acute postoperative pain.
J Am Pharm Assoc (2003). 2017;57(2S):S92-S98.
5. *Terkawi AS, Mavridis D, Sessler DI, Nunemaker MS, Doais KS, Terkawi RS, et al.*
Pain Management Modalities after Total Knee Arthroplasty: A Network Meta-analysis of 170 Randomized Controlled Trials.
Anesthesiology. 2017;126(5):923-937.
6. *Ilfeld BM.*
Continuous Peripheral Nerve Blocks: An Update of the Published Evidence and Comparison With Novel, Alternative Analgesic Modalities.
Anesth Analg. 2017;124(1):308-335.
7. *Guo CW, Ma JX, Ma XL, Lu B, Wang Y, Tian AX, et al.*
Supraclavicular block versus interscalene brachial plexus block for shoulder surgery: A meta-analysis of clinical control trials.
Int J Surg. 2017;45:85-91.
8. *Beverly A, Kaye AD, Ljungqvist O, Urman RD.*
Essential Elements of Multimodal Analgesia in Enhanced Recovery After Surgery (ERAS) Guidelines.
Anesthesiol Clin. 2017;35(2):e115-e143.
9. *Konijnenbelt-Peters J, van der Heijden C, Ekhart C, Bos J, Bruhn J, Kramers C.*
Metamizole (Dipyrone) as an Alternative Agent in Postoperative Analgesia in Patients with Contraindications for Nonsteroidal Anti-Inflammatory Drugs.
Pain Pract. 2017;17(3):402-408.
10. *Cavalcante AN, Sprung J, Schroeder DR, Weingarten TN.*
Multimodal Analgesic Therapy With Gabapentin and Its Association With Postoperative Respiratory Depression.
Anesth Analg. 2017;125(1):141-146.

DOLOR CRÓNICO | MESA 3

Dr. Mariano Fernández Baena

1. *Brown M, Farquhar-Smith P.*
Pain in cancer survivors; filling in the gaps.
Br J Anaesth. 2017;119(4):723-736.
2. *Callinan CE, Neuman MD, Lacy KE, Gabison C, Ashburn MA.*
The Initiation of Chronic Opioids: A Survey of Chronic Pain Patients.
J Pain. 2017;18(4):360-365.
3. *Rusu AC, Pincus T.*
Chronic pain patients' perceptions of their future: a verbal fluency task.
Pain. 2017;158(1):171-17
4. *Perrot S, Launay A, Desjeux D, Cedrasc C.*
Pain patients' letters: The visit before the visit - A qualitative analysis of letters from patients referred to a tertiary pain center.
Eur J Pain. 2017; 21: 1020-1030.
5. *Rubinstein AL, Carpenter DM.*
Association Between Commonly Prescribed Opioids and Androgen Deficiency in Men: A Retrospective Cohort Analysis.
Pain Med. 2017; 18(4): 637-644.
6. *Sanders AE, Akinkugbe AA, Fillingim RB, Ohrbach R, Greenspan JD, Maixner W, et al.*
Causal Mediation in the Development of Painful Temporomandibular Disorder.
J Pain. 2017;18(4):428-436.
7. *Goodman CW, Brett AS.*
Gabapentin and Pregabalin for Pain - Is Increased Prescribing a Cause for Concern?
N Engl J Med. 2017;377(5):411-414.
8. *Thielke SM, Shortreed SM, Saunders K, Turner JA, LeResche L, Von Korff M.*
A Prospective Study of Predictors of Long-term Opioid Use Among Patients With Chronic Noncancer Pain.
Clin J Pain. 2017;33(3):198-204.
9. *Trotter Davis M, Bateman B, Avorn J.*
Educational Outreach to Opioid Prescribers: The Case for Academic Detailing.
Pain Physician. 2017;20(2S):S147-S151.
10. *Kuttikat A, Shaikh M, Oomatia A, Parker R, Shenker N.*
Novel Signs and Their Clinical Utility in Diagnosing Complex Regional Pain Syndrome (CRPS): A Prospective Observational Cohort Study.
Clin J Pain. 2017;33(6):496-502.

DOLOR CRÓNICO | MESA 3

Dr. Jesús Tornero Molina

1. French HP, Smart KM, Doyle F.
Prevalence of neuropathic pain in knee or hip osteoarthritis: A systematic review and meta-analysis.
Semin Arthritis Rheum. 2017;47(1):1-8.
2. Wade KF, Marshall A, Vanhoutte B, Wu FC, O'Neill TW, Lee DM.
Does Pain Predict Frailty in Older Men and Women? Findings From the English Longitudinal Study of Ageing (ELSA).
J Gerontol A Biol Sci Med Sci. 2017;72(3):403-409.
3. McAlindon TE, LaValley MP, Harvey WF, Price LL, Driban JB, Zhang M, et al.
Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis: A Randomized Clinical Trial.
JAMA. 2017;317(19):1967-1975.
4. Hall A, Copesey B, Richmond H, Thompson J, Ferreira M, Latimer J, et al.
Effectiveness of Tai Chi for Chronic Musculoskeletal Pain Conditions: Updated Systematic Review and Meta-Analysis.
Phys Ther. 2017;97(2):227-238.
5. Pers YM, Sow MS, Taverne B, March L, Izard S, Étard JF, et al.
Characteristics of the musculoskeletal symptoms observed among survivors of Ebola virus disease in the Postebogui cohort in Guinea.
Rheumatology (Oxford). 2017;56(12):2068-2072.
6. Bonakdar RA.
Integrative Pain Management.
Med Clin North Am. 2017;101(5):987-1004.
7. Ghodke A, Barquero S, Chelminski PR, Ives TJ.
Short-Acting Opioids Are Associated with Comparable Analgesia to Long-Acting Opioids in Patients with Chronic Osteoarthritis with a Reduced Opioid Equivalence Dosing.
Pain Med. 2017 Nov 7.
8. Wylde V, Dennis J, Beswick AD, Bruce J, Eccleston C, Howells N, et al.
Systematic review of management of chronic pain after surgery.
Br J Surg. 2017;104(10):1293-1306.
9. Guillén-Astete CA, Cardona-Carballo C, de la Casa-Resino C.
Tapentadol versus tramadol in the management of low back pain in the emergency department: Impact of use on the need for reassessments.
Medicine (Baltimore). 2017;96(45):e8403.
10. Yu D, Jordan KP, Bedson J, Englund M, Blyth F, Turkiewicz A, et al.
Population trends in the incidence and initial management of osteoarthritis: age-period-cohort analysis of the Clinical Practice Research Datalink, 1992-2013.
Rheumatology 2017;56:1902-1917.

DOLOR CRÓNICO | MESA 3

Dr. Jorge Contreras Martínez

1. *Wiffen PJ, Cooper TE, Anderson A, Gray AL, Grégoire M, Ljungman G, et al.*
Opioids for cancer-related pain in children and adolescents (Review).
Cochrane Database Syst Rev. 2017;7:CD012564.
2. *Vellucci R, Mediati RD, Gasperoni S, Mammucari M, Marinangeli F, Romualdi P.*
Assessment and treatment of breakthrough cancer pain: from theory to clinical practice.
J Pain Res. 2017;10:2147-2155.
3. *Chow R, Hoskin P, Hollenberg D, Lam M, Dennis K, Lutz S, et al.*
Efficacy of single fraction conventional radiation therapy for painful uncomplicated bone metastases: a systematic review and meta-analysis.
Ann Palliat Med. 2017;6(2):125-142.
4. *He Y, Liu Y, May BH, Zhang AL, Zhang H, Lu C, et al.*
Effectiveness of acupuncture for cancer pain: protocol for an umbrella review and meta-analyses of controlled trials.
BMJ Open. 2017;7(12):e018494.
5. *Mercadante S.*
New drugs for pain management in advanced cancer patients.
Expert Opin Pharmacother. 2017;18(5):497-502.
6. *Wiffen PJ, Wee B, Derry S, Bell RF, Moore RA.*
Opioids for cancer pain - an overview of Cochrane reviews.
Cochrane Database Syst Rev. 2017;7:CD012592.
7. *Schmidt-Hansen M, Bennett MI, Arnold S, Bromham N, Hilgart JS.*
Oxycodone for cancer-related pain (Review).
Cochrane Database Syst Rev. 2017;8:CD003870.
8. *Bennett MI.*
Mechanism-based cancer-pain therapy.
Pain. 2017;158 Suppl 1:S74-S78.
9. *Jara C, Del Barco S, Grávalos C, Hoyos S, Hernández B, Muñoz M, et al.*
SEOM clinical guideline for treatment of cancer pain (2017).
Clin Transl Oncol. 2018;20(1):97-107.
10. *Chow R, Hoskin P, Chan S, Mesci A, Hollenberg D, Lam H, et al.*
Efficacy of multiple fraction conventional radiation therapy for painful uncomplicated bone metastases: A systematic review.
Radiother Oncol. 2017;122(3):323-331.

DOLOR NEUROPÁTICO | MESA 4

Dr. Daniel Niño Sintés

1. *Makharita MY*
Prevention of Post-herpetic Neuralgia from Dream to Reality: A Ten-step Model.
Pain Physician. 2017;20(2):E209-E220.
2. *Dogru Huzmeli E, Melek I.*
Neuropathic pain's biopsychosocial effects.
Neurol Sci. 2017;38(11):1993-1997.
3. *Truini A.*
A Review of Neuropathic Pain: From Diagnostic Tests to Mechanisms.
Pain Ther. 2017; 6(Suppl 1): 5-9.
4. *Meacham K, Shepherd A, Mohapatra DP, Haroutounian S.*
Neuropathic Pain: Central vs. Peripheral Mechanisms.
Curr Pain Headache Rep. 2017;21(6):28.
5. *Anderson D, Beecher G, Power C, Bridgland L, Zochodne DW.*
A neuropathic pain syndrome associated with hantavirus infection.
J Neurovirol. 2017;23(6):919-921
6. *Widerström-Noga E, Loeser JD, Jensen TS, Finnerup NB.*
AAPT Diagnostic Criteria for Central Neuropathic Pain.
J Pain. 2017;18(12):1417-1426.
7. *Harrison SA, Stynes S, Dunn KM, Foster NE, Konstantinou K.* *Neuropathic Pain in Low Back-Related Leg Pain Patients: What Is the Evidence of Prevalence, Characteristics, and Prognosis in Primary Care? A Systematic Review of the Literature.*
J Pain. 2017;18(11):1295-1312.
8. *Lopez-Jornet P, Molino-Pagan D, Parra-Perez P, Valenzuela S.* *Neuropathic Pain in Patients with Burning Mouth Syndrome Evaluated Using painDETECT.*
Pain Med. 2017;18(8):1528-1533.
9. *Zis P, Varrassi G.*
Painful Peripheral Neuropathy and Cancer.
Pain Ther. 2017; 6(2): 115-116.
10. *Oh SY, Shin SW, Koh SJ, Bae SB, Chang H, Kim JH, et al.*
Multicenter, cross-sectional observational study of the impact of neuropathic pain on quality of life in cancer patients.
Support Care Cancer. 2017;25(12):3759-3767.

DOLOR NEUROPÁTICO | MESA 4

Dra M^a Victoria Ribera Canudas

1. *Wiffen PJ, Derry S, Bell RF, Rice AS, Tölle TR, Phillips T, et al.*
Gabapentin for chronic neuropathic pain in adults.
Cochrane Database Syst Rev. 2017;6:CD007938.
2. *Meng H, Johnston B, Englesakis M, Moulin DE, Bhatia A.*
Selective Cannabinoids for Chronic Neuropathic Pain: A Systematic Review and Meta-analysis.
Anesth Analg. 2017;125(5):1638-1652.
3. *Gálvez R, Navez ML, Moyle G, Maihöfner C, Stoker M, Ernault E, et al.*
Capsaicin 8% Patch Repeat Treatment in Nondiabetic Peripheral Neuropathic Pain: A 52-Week, Open-Label, Single-Arm, Safety Study.
Clin J Pain. 2017;33(10):921-931.
4. *Yang F, Lin Q, Dong L, Gao X, Zhang S.*
Efficacy of Eight Different Drug Treatments for Patients with Trigeminal Neuralgia: A Network Meta-analysis.
Clin J Pain. 2017 Dec 1.
5. *Aiyer R, Mehta N, Gungor S, Gulati A.*
A Systematic Review of NMDA Receptor Antagonists for Treatment of Neuropathic Pain in Clinical Practice.
Clin J Pain. 2017 Sep 1.
6. *Mu A, Weinberg E, Moulin DE, Clarke H.*
Pharmacologic management of chronic neuropathic pain: Review of the Canadian Pain Society consensus statement.
Canadian Family Physician Can Fam Physician. 2017;63(11):844-852.
7. *Chenaf C, Chapuy E, Libert F, Marchand F, Courteix C, Bertrand M, et al.*
Agomelatine: a new opportunity to reduce neuropathic pain-preclinical evidence.
Pain. 2017;158(1):149-160.
8. *Sindrup SH, Holbech J, Demant D, Finnerup NB, Bach FW, Jensen TS.*
Impact of etiology and duration of pain on pharmacological treatment effects in painful polyneuropathy.
Eur J Pain. 2017;21(8):1443-1450.
9. *Sommer C, Cruccu G.*
Topical Treatment of Peripheral Neuropathic Pain: Applying the Evidence.
J Pain Symptom Manage. 2017 Mar;53(3):614-629.
10. *Yan YY, Li CY, Zhou L, Ao LY, Fang WR, Li YM.*
Research progress of mechanisms and drug therapy for neuropathic pain.
Life Sci. 2017 1;190:68-77.

DOLOR NEUROPÁTICO | MESA 4

Dr. Javier Medel Rebollo

1. *Deer TR, Levy RM, Kramer J, Poree L, Amirdelfan K, Grigsby E, et al.*
Dorsal root ganglion stimulation yielded higher treatment success rate for complex regional pain syndrome and causalgia at 3 and 12 months: a randomized comparative trial.
Pain. 2017;158(4):669-681.
2. *Billet B, Wynendaele R, Vanquathem NE.*
A Novel Minimally Invasive Wireless Technology for Neuromodulation via Percutaneous Intercostal Nerve Stimulation for Post-Herpetic Neuralgia: A Case Report with Short-Term Follow-up.
Pain Pract. 2017 Jun 20.
3. *Vuka I, Vučić K, Repić T, Ferhatović Hamzić L, Sapunar D, Puljak L.*
Electrical Stimulation of Dorsal Root Ganglion in the Context of Pain: A Systematic Review of In Vitro and In Vivo Animal Model Studies.
Neuromodulation. 2017 Nov 20.
4. *Deer TR, Pope JE, Hayek SM, Bux A, Buchser E, Eldabe S, et al.*
The Polyanalgesic Consensus Conference (PACC): Recommendations on Intrathecal Drug Infusion Systems Best Practices and Guidelines.
Neuromodulation. 2017;20(2):96-132.
5. *Cobianchi S, Jaramillo J, Luvisetto S, Pavone F, Navarro X.*
Botulinum neurotoxin A promotes functional recovery after peripheral nerve injury by increasing regeneration of myelinated fibers.
Neuroscience. 2017;359:82-91.
6. *Lempka SF, Malone DA Jr, Hu B, Baker KB, Wyant A, Ozinga JG 4th, et al.*
Randomized clinical trial of deep brain stimulation for poststroke pain.
Ann Neurol. 2017;81(5):653-663.
7. *Colini Baldeschi G, Dario A, De Carolis G, Luxardo N, Natale M, Nosella P, Papa A, Raggi M, Reverberi C.*
Peripheral Nerve Stimulation in the Treatment of Chronic Pain Syndromes From Nerve Injury: A Multicenter Observational Study.
Neuromodulation. 2017;20(4):369-374.
8. *Mojica J, Mo B, Ng A.*
Sphenopalatine Ganglion Block in the Management of Chronic Headaches.
Curr Pain Headache Rep. 2017;21(6):27.
9. *Mert T.*
Pulsed magnetic field treatment as antineuropathic pain therapy.
Rev Neurosci. 2017;28(7):751-758.
10. *Iacob E, Hagn EE, Sindt J, Brogan S, Tadler SC, Kennington KS, et al.*
Tertiary Care Clinical Experience with Intravenous Lidocaine Infusions for the Treatment of Chronic Pain.
Pain Med. 2017 Jul 28.

TÉCNICAS INTERVENCIONISTAS | MESA 5

Dr. Javier de Andrés Ares

1. McCormick ZL, Korn M, Reddy R, Marcolina A, Dayanim D, Mattie R, et al.
Cooled Radiofrequency Ablation of the Genicular Nerves for Chronic Pain due to Knee Osteoarthritis: Six-Month Outcomes.
Pain Med. 2017;18(9):1631-1641.
2. Juch JNS, Maas ET, Ostelo RWJG, Groeneweg JG, Kallewaard JW5, Koes BW, et al.
Effect of Radiofrequency Denervation on Pain Intensity Among Patients With Chronic Low Back Pain: The Mint Randomized Clinical Trials.
JAMA. 2017;318(1):68-81.
3. Derby R, Melnik I, Choi J, Lee SH, Lee JE.
Reliability and Safety of Contra-Lateral Oblique View for Interlaminar Epidural Needle Placement.
Pain Physician. 2017;20(1):E65-E73.
4. Joo EY, Koh WU, Choi SS, Choi JH, Ahn HS, Yun HJ, et al.
Efficacy of Adjuvant 10% Hypertonic Saline in Transforaminal Epidural Steroid Injection: A Retrospective Analysis.
Pain Physician. 2017;20(1):E107-E114.
5. chneider BJ, McCormick ZL, Smith CC.
Spine Intervention Society's Patient Safety Committee. Particulate or Nonparticulate Steroids for Lumbar Transforaminal Injections.
Pain Med. 2017;18(9):1817-1818.
6. Louw A, Diener I, Fernández-de-Las-Peñas C, Puentedura EJ.
Sham Surgery in Orthopedics: A Systematic Review of the Literature.
Pain Med. 2017;18(4):736-750.
7. Yousef AA, Aborahma AM.
The Preventive Value of Epidural Calcitonin in Patients with Lower Limb Amputation.
Pain Med. 2017;18(9):1745-1751.
8. Endres S, Shufelt A, Bogduk N.
The Risks of Continuing or Discontinuing Anticoagulants for Patients Undergoing Common Interventional Pain Procedures.
Pain Med. 2017;18(3):403-409.
9. Feigl GC, Dreu M, Kastner M, Rosmarin W, Ulz H, Kniesel B, et al.
Thermocoagulation of the Medial Branch of the Dorsal Branch of the Lumbal Spinal Nerve: Flouroscopy Versus CT.
Pain Med. 2017;18(1):36-40.
10. Becker S, Hadjipavlou A, Heggeness MH.
Ablation of the basivertebral nerve for treatment of back pain: a clinical study.
Spine J. 2017;17(2):218-223.

TÉCNICAS INTERVENCIONISTAS | MESA 5

Dr. Alejandro Ortega Romero

1. *Chrona E, Kostopanagiotou G, Damigos D, Batistaki C.*
Anterior cutaneous nerve entrapment syndrome: management challenges.
J Pain Res. 2017; 10: 145–156.
2. *Taljanovic MS, Gimber LH, Becker GW, Latt LD, Klauser AS, Melville DM, et al.*
Shear-Wave Elastography: Basic Physics and Musculoskeletal Applications.
RadioGraphics 2017; 37:855–870.
3. *Ilfeld BM, Grant SA, Gilmore CA, Chae J, Wilson RD, Wongsarnpigoon A, et al.*
Neurostimulation for Postsurgical Analgesia: A Novel System Enabling Ultrasound-Guided Percutaneous Peripheral Nerve Stimulation.
Pain Practice. 2017; 17 (7): 892–901.
4. *Balius R, Susín A, Morros C, Pujol M, Pérez-Cuenca D, Sala-Blanch X.*
Gemelli-obturator complex in the deep gluteal space: an anatomic and dynamic study.
Skeletal Radiol. 2017 Dec 7.
5. *Finlayson RJ, Etheridge JB, Elgueta MF, Thonnagith A, De Villiers F, Nelems B, et al.*
A Randomized Comparison Between Ultrasound- and Fluoroscopy-Guided Sacral Lateral Branch Blocks.
Reg Anesth Pain Med. 2017;42(3):400-406.
6. *Gurcay E, Kara M, Karahmet OZ, Ata AM, Onat ŞŞ, Özçakar L.*
Shall We Inject Superficial or Deep to the Plantar Fascia? An Ultrasound Study of the Treatment of Chronic Plantar Fasciitis.
J Foot Ankle Surg. 2017;56(4):783-787.
7. *Sarı S, Aydın ON, Turan Y, Şen S, Özlülerden P, Ömürlü İK, Gulastı F.*
Which imaging method should be used for genicular nerve radio frequency thermocoagulation in chronic knee osteoarthritis?
J Clin Monit Comput. 2017;31(4):797-803.
8. *Schmalzl J, Fenwick A, Boehm D, Gilbert F.*
The application of ultrasound elastography in the shoulder.
J Shoulder Elbow Surg. 2017;26(12):2236-2246.
9. *Lam SKH, Reeves KD, Cheng AL.*
Transition from Deep Regional Blocks toward Deep Nerve Hydrodissection in the Upper Body and Torso: Method Description and Results from a Retrospective Chart Review of the Analgesic Effect of 5% Dextrose Water as the Primary Hydrodissection Injectate to Enhance Safety.
BioMed Research International. 2017; 2017: Article ID 7920438.
10. *Baig S, Moon JY, Shankar H.*
Review of Sympathetic Blocks: Anatomy, Sonoanatomy, Evidence, and Techniques.
Reg Anesth Pain Med. 2017;42(3):377-391.

TÉCNICAS INTERVENCIONISTAS | MESA 5

Dr. Enrique Ortega Ladrón

1. *Farber SH, Han JL, Elsamadicy AA, Hussaini Q, Yang S, Pagadala P, et al.*
Long-term Cost Utility of Spinal Cord Stimulation in Patients with Failed Back Surgery Syndrome.
Pain Physician. 2017;20(6):E797-E805.
2. *Weiner RL, Garcia CM, Vanquathem N.*
A novel miniature, Wireless neurostimulator in the management of chronic craniofacial pain: Preliminary results from a prospective pilot study.
Scand J Pain. 2017;17:350-354.
3. *Morgalla MH, Bolat A, Fortunato M, Lepski G, Chander BS.*
Dorsal Root Ganglion Stimulation Used for the Treatment of Chronic Neuropathic pain in the Groin: A Single-Center Study With Long-Term Prospective Results in 34 Cases.
Neuromodulation. 2017 Dec;20(8):753-760.
4. *Taghva A, Karst E, Underwood P.*
Clinical Paresthesia Atlas Illustrates Likelihood of Coverage Based on Spinal Cord Stimulator Electrode Location.
Neuromodulation. 2017;20(6):582-588.
5. *Dietvorst S, Decramer T, Lemmens R, Morlion B, Nuttin B, Theys T.*
Pocket Pain and Neuromodulation: Negligible or Neglected?
Neuromodulation. 2017;20(6):600-605.
6. *Shiue SJ, Peng HY, Lin CR, Wang SW, Rau RH, Cheng JK.*
Continuous Intrathecal Infusion of Cannabinoid Receptor Agonists Attenuates Nerve Ligation-Induced Pain in Rats.
Reg Anesth Pain Med. 2017;42(4):499-506.
7. *Prusik J, Argoff C, Peng S, Pilitsis JG.*
Use of Low Dose Ziconotide as First-Line Intrathecal Monotherapy.
Neuromodulation. 2017;20(4):386-391.
8. *Robert J, Sorrieul J, Rossignol E, Beaussart H, Kieffer H, Folliard C, et al.*
Chemical Stability of Morphine, Ropivacaine, and Ziconotide in Combination for Intrathecal Analgesia.
Int J Pharm Compd. 2017;21(4):347-351.
9. *Tangen KM, Leval R, Mehta AI, Linninger AA.*
Computacional and In Vitro Experimental Investigation of Intrathecal Drug Distribution: Parametric Study of the Effect of Injection Volume, Cerebrospinal Fluid Pulsatility, and Drug Uptake.
Anesth Analg. 2017 May;124(5):1686-1696.
10. *Maino P, Perez RSGM, Koetsier E.*
Intrathecal Pump Refills, Pocket Fills, and Symptoms of Drug Overdose: A Prospective, Observational Study Comparing the Injected Drug Volume vs. The Drug Volume Effectively Measured Inside the Pump.
Neuromodulation. 2017;20(7):733-739.



Declarada de Interés Científico por:



Una idea original de:

